



DRAWING NOTES

- ① LOCATE DATA OUTLET AND TELEPHONE OUTLET AS NOTED ABOVE CEILING TILE FOR FUTURE CONNECTION TO SMART CLASSROOM EQUIPMENT. PROVIDE A MINIMUM OF FORTY FEET (40') OF DATA AND TELEPHONE CABLE COILED AND SUSPENDED IN THE CEILING SPACE.
- ② LOCATE DATA OUTLET AND VIDEO OUTLET AS NOTED ABOVE CEILING TILE FOR FUTURE CONNECTION TO SMART CLASSROOM EQUIPMENT. PROVIDE A MINIMUM OF TWENTY FEET (20') OF DATA AND VIDEO CABLE COILED AND SUSPENDED IN THE CEILING SPACE.
- ③ PROVIDE TWO (2) DATA OUTLETS FOR CONNECTION TO BUILDING MANAGEMENT SYSTEM PANELS (TO BE INSTALLED BY OTHERS). COORDINATE WITH BMS CONTRACTOR FOR LOCATION OF BMS PANELS IN FIELD. ASSUME 300 LINEAR FEET FROM DATA OUTLETS FOR BMS PANELS TO DATA RACK/CABINET.



MATCHLINE - SEE DRAWING NO. ED3.11 FOR CONTINUATION



KEY PLAN
NOT TO SCALE

CAREER BUILDING (CAR) - SECOND FLOOR PLAN

SCALE: 3/32" = 1'-0"



D-033675

